
医用、检查用、一次性手套生产线及包装机



TR-SBA&TR-SPM

Surgical Examinational Disposable Glove Dipping Machine and Glove Packaging Machines

TR-SBA for single mold line TR-SBB for double mold line

Suitable materials: PVC emulsion\Latex\Vlnyl
Main products: PVC/Latex/Vinyl gloves for examination, surgery, disposable glove for household, and beading, straight (powder/ powder-free).

TR-SBA

/" Surgical, Examination Disposable Glove Dipping Machine


Model	Machine Size (m)	Speed (m/min)	Capacity (pcs/hr)	Heat Consumption (kcaVhr)	Power (kw/hr)	Mold (pcs)	Chain (m)
TR-SBA50 x 6	50m x 1.8m x6.5m x 6Layers	8.3	5,000	450,000	85	3,000	300
TR-SBA60 *x 6*	60m x 1.8m x6.5m x 6Layers	10	6,000	550,000	90	3,600	360
TR-SBA80 *x 6*	80m x 1.8m x6.5m *x* 6Layers	13.3	8,000	750,000	98	4,800	480
TR-SBA100x6	100m x 1.8m *x* 6.5m x 6Layers	15	10000	1,100,000	115	6,000	600
TR-SBA110x6	110m x 1.8m x6.5m x 6Layers	21.6	13,000	1,200,000	120	6,600	660
TR-SBB80 x 6	80m x 1.8m x 7.5m x 6Layersx2	13.3	16,000	1,400,000	110	9,600	480
TR-SBB100x6	100m x 1.8m x 7.5m x 6Layersx2	18	21,600	2,100,000	130	12,000	600
TR-SBB110x6	110m x 1.8m x 7.5m x 6Layersx2	20	23,000	2,200,000	135	13,200	660
TR-SBA60 x8	60m x 1.8m x 8.5m x 8Layers	10	7,200	730,000	95	4,800	480
TR-SBA80 x 8	80m x 1.8m x 8.5m x 8Layers	16.7	10,000	1,000,000	100	6,400	640
TR-SBA100x8	100m x 1.8m x 8.5m x8Layers	22	12,000	1,470,000	120	8,000	800
TR-SBA110x8	110m x 1.8m x 8.5m x 8Layers	24	14,400	1,600,000	125	8,800	880
TR-SBB80 x8	80m x 1.8m x 9.6m x 8Layersx2	16.6	20,000	1,900,000	120	12,800	640
TR-SBB100x8	100m x 1.8m x 9.6 m x8Layersx2	20	24,000	2,800,000	130	16,000	800
TR-SBB 110x8	110m x 1.8m x 9.6m x 8Layersx2	21.6	26,000	3,050,000	140	17,600	880
TR-SBB80xI0	80m x 1.8m x 12m xIOLayersx2	22	26,400	2,380,000	130	16,000	800
TR-SBBIOOxIO	100m x 1.8m x 12m xIOLayersx2	23.3	28,000	3,500,000	140	20,000	1000
TR-SBB110x10	110m x 1.8m x 12m xIOLayersx2	25	30,000	3,800,000	150	22,000	1100

Different products: surgical or exam glove, powder or powder free glove capacity is different because machine craft work need to design accordingly.















Technical parameters

TR-SPM

SURGICAL GLOVE OUT WRAP PACKING MACHINE





Glove packge machine

Main Products:

The machine is suitable for automatic packaging of flake object such as medical dressing, medical operation instruments and latex glove; it can be used for various packaging materials such as plastic film, plastic and paper compound film, plastic and aluminum compound film.


Technical parameters

(V/HZ) Voltage	380/50 (3PH)
(W) Heat Seal Power	5000
(W) Driving Power	35000
(pcs/min) Packing Speed	100
(C) Temperature Range	0-300
Number of Printing	10
（Mpa ） Air Pressure	0.6
(mm) Max Sizes of Packing Object	520x280
(L*M*W) (mm) Dimension	6619x1863x985
(Kg) Net Weight	750



TR-SPMI

SURGICAL GLOVE INNER PAPER PACKING MACHINE



Main Products: The machine is suitable for automatic packaging of flake object such as medical dressing, medical operation instruments and latex glove; it can be used for various packaging materials such as plastic film, plastic and paper compound film, plastic and aluminum compound film.

24-28/min 8-46/min 26-130r/min

Move the paper displacement The power source of the cylinder PLC Process parameters—human machine interface —PLC Each execution unit

Movement: The spindle speed (PLC)Motor (PLC control) Vacuum source air compressor

control center

The power supply voltage and frequency

Standard control circuit voltages

Boundary dimension


Rated voltage: ac 380v, the voltage range of 0.9-1.1times the rated voltage Rated frequency： 50 hz frequency range of 0.99-1.01 times the rated frequency

This equipment control voltage of ac 220 v signal control voltage of the dc24 v

5.4 Meter(L)x1.6 Meter(W)x1.55 Meter(H)































Production Market

The products exported to Europe, South America, Southeast Area, the Middle East, West Asia, Africa and other regions. 1345 machines working well all over the world.







手套生产线
Glove production line



一次性丁腈手套生产线
Disposable Nitrile Glove Production Line


生产线包含以下部分
Production line contains the following parts



粉罐
Powder tank



自动脱模机 Auto stripping machine



自动计数器
Automatic counter



手模
Hand model

生产线包含以下部分
Production line contains the following parts



PU涂层
PU coating



凝固剂槽
Coagulant tank



烘箱加热系统Oven
heating system



聚合物罐
Polymer Tank



电控柜
Electric control

该文档是极速PDF编辑器生成，
如果想去掉该提示,请访问并下载：
http://www.jisupdfeditor.com/

SBA/SBB 医用、检查用、一次性丁腈胶手套生产线
SBA/SBB Medical, inspection, disposable nitrile gloves production line

	型号 Model	机器尺寸(米) Machine Sise(m) L长×W宽×H高(M)	最小厂房尺寸（米） Minimum Factory Size L长×W宽×H高(M)	层数 Layer	日产量 Capacity/day	速度 Speed	热耗Heat Consumption	功率 Power	模具 Model	链条 Chain
	单位 m	米 m	米 m		个 pcs	米/分钟 m/min	大卡/小时 cal/hr	千瓦/小时 kw/hr	个 pcs	米 m
Single Mode/单模	TR-SBA150x6	150x2.3x6.5	155x6.3x7.5	6	295000	20.5	1500000	80	9000	900
	TR-SBA180x6	180x2.3x6.5	185x6.3x7.5	6	353000	24.5	1800000	90	10800	1080
	TR-SBA200x6	200x2.3x6.5	205x6.3x7.5	6	389000	27	1900000	100	12000	1200
	TR-SBA80x8	80x2.3x8.5	85x6.3x9.5	8	209000	14.5	1000000	60	6400	640
	TR-SBA100x8	100x2.3x8.5	105x6.3x9.5	8	259000	18	1300000	70	8000	800
	TR-SBA110x8	110x2.3x8.5	115x6.3x9.5	8	288000	20	1400000	75	8800	880
	TR-SBA120x8	120x2.3x8.5	125x6.3x9.5	8	317000	22	1600000	80	9600	960
	TR-SBA150x8	150x2.3x8.5	155x6.3x9.5	8	389000 ★3	27	1900000	95	12000	1200
	TR-SBA180x8	180x2.3x8.5	185x6.3x9.5	8	475000 ★2	33	2400000	110	14400	1440
	TR-SBA200x8	200x2.3x8.5	205x6.3x9.5	8	504000 ★1	35	2500000	120	16000	1600

目录
Catalog

该文档是极速PDF编辑器生成，
如果想去掉该提示,请访问并下载：
http://www.jisupdfeditor.com/

	型号 Model	机器尺寸(米) Machine Sise(m) L长×W宽×H高 (M)	最小厂房尺寸（米） Minimum Factory Size L长×W宽×H高(M)	层数 Layer	日产量 Capacity/day	速度 Speed	热耗Heat Consumption	功率 Power	模具 Model	链条 Chain
	单位 m	米 m	米 m		个 pcs	米/分钟 m/min	大卡/小时 cal/hr	千瓦/小时 kw/hr	个 pcs	米 m
Dual Mode/双模	TR-SBB150x6	150x2.3x10	155x6.3x11	6	590000	20.5	3000000	140	18000	900
	TR-SBB180x6	180x2.3x10	185x6.3x11	6	706000	24.5	3500000	160	21600	1080
	TR-SBB200x6	200x2.3x10	205x6.3x11	6	778000	27	3900000	170	24000	1200
	TR-SBB80x8	80x2.3x10	85x6.3x11	8	418000	14.5	2100000	100	12800	640
	TR-SBB100x8	100x2.3x10	105x6.3x11	8	518000	18	2600000	120	16000	800
	TR-SBB110x8	110x2.3x10	115x6.3x11	8	576000	20	2900000	130	17600	880
	TR-SBB120x8	120x2.3x10	125x6.3x11	8	634000	22	3200000	140	19200	960
	TR-SBB140x8	140x2.3x10	145x6.3x11	8	734000	25.5	3700000	160	22400	1120
	TR-SBB150x8	150x2.3x10	155x6.3x11	8	778000	27	3900000	170	24000	1200
	TR-SBB160x8	160x2.3x10	165x6.3x11	8	850000 ★3	29	4200000	180	25600	1280
	TR-SBB180x8	180x2.3x10	185x6.3x11	8	951000 ★2	33	4800000	210	28800	1440
	TR-SBB200x8	200x2.3x10	205x6.3x11	8	1050000 ★1	35	5000000	220	32000	1600
	TR-SBB80x10	80x2.3x12	85x6.3x13	10	518000	18	2600000	120	16000	800
	TR-SBB100x10	100x2.3x12	105x6.3x13	10	662000	23	3300000	150	20000	1000
	TR-SBB110x10	110x2.3x12	115x6.3x13	10	720000	25	3600000	160	22000	1100
	TR-SBB120x10	120x2.3x12	125x6.3x13	10	778000	27	3900000	170	24000	1200

目录
Catalog

TR-SBC 一次性PVC手套生产线
TR-SBC Disposable PVC glove production line

该文档是极速PDF编辑器生成，
如果想去掉该提示,请访问并下载：
http://www.jisupdfeditor.com/

	型号 Model	机器尺寸(米） Machine Sise(m) L长×W宽×H高(M)	最小厂房尺寸（米） Minimum Factory Size L长×W宽×H高(M)	层数 Layer	日产量 Capacity/day	速度 Speed	热耗Heat Consumption	功率 Power	模具 Model	链条 Chain
	单位 m	米 m	米 m		个 pcs	米/分钟 m/min	大卡/小时 cal/hr	千瓦/小时 kw/hr	个 pcs	米 m
Single mode dual track/单模双轨	TR-SBC100x4	100x4x7	105x7.5x8	4	690000	24	4000000	120	8000	800
	TR-SBC120x4	120x4x7	125x7.5x8	4	806000	28	4320000	128	9600	960
	TR-SBC130x4	130x4x7	135x7.5x8	4	892000	31	4480000	128	10400	1040
	TR-SBC140x4	140x4x7	145x7.5x8	4	950000	33	4800000	144	11200	1120
	TR-SBC150x4	150x4x7	155x7.5x8	4	1008000	35	4880000	152	12000	1200
	TR-SBC160x4	160x4x7	165x7.5x8	4	1094000	38	4960000	160	12800	1280
	TR-SBC180x4	180x4x7	185x7.5x8	4	1152000	40	5280000	192	14400	1440
	TR-SBC200x4	200x4x7	205x7.5x8	4	1208000	42	5600000	224	16000	1600

目录
Catalog

TR-SBD/SDE 一次性乳胶手套生产线
TR-SBD/SDE Disposable latex gloves production line

该文档是极速PDF编辑器生成，
如果想去掉该提示,请访问并下载：
http://www.jisupdfeditor.com/


	型号 Model	机器尺寸(米) Machine Sise(m) L长×W宽×H高(M)	最小厂房尺寸（米） Minimum Factory Size L长×W宽×H高(M)	层数 Layer	日产量 Capacity/day	速度 Speed	热耗Heat Consumption	功率 Power	模具 Model	链条 Chain
	单位 m	米 m	米 m		个 pcs	米/分钟 m/min	大卡/小时 cal/hr	千瓦/小时 kw/hr	个 pcs	米 m
Single Mode/单模	TR-SBD150x6	150x2.3x6.5	155x6.3x7.5	6	360000	25	1800000	90	9000	900
	TR-SBD180x6	180x2.3x6.5	185x6.3x7.5	6	432000	30	2200000	100	10800	1080
	TR-SBD200x6	200x2.3x6.5	205x6.3x7.5	6	475000	33	2400000	110	12000	1200
	TR-SBD80x8	80x2.3x8.5	85x6.3x9.5	8	259000	18	1300000	70	6400	640
	TR-SBD100x8	100x2.3x8.5	105x6.3x9.5	8	317000	22	1600000	80	8000	800
	TR-SBD110x8	110x2.3x8.5	115x6.3x9.5	8	353000	24.5	1800000	90	8800	880
	TR-SBD120x8	120x2.3x8.5	125x6.3x9.5	8	382000	26.5	1900000	95	9600	960
	TR-SBD150x8	150x2.3x8.5	155x6.3x9.5	8	475000 ★5	33	2400000	110	12000	1200
	TR-SBD180x8	180x2.3x8.5	185x6.3x9.5	8	576000 ★2	40	2900000	130	14400	1440
	TR-SBD200x8	200x2.3x8.5	205x6.3x9.5	8	640000 ★1	44.5	3200000	150	16000	1600
	TR-SBD150x6	150x2.3x6.5	155x6.3x7.5	6	360000	25	1800000	90	9000	900
	TR-SBD180x6	180x2.3x6.5	185x6.3x7.5	6	432000	30	2200000	100	10800	1080
	TR-SBD200x6	200x2.3x6.5	205x6.3x7.5	6	475000	33	2400000	110	12000	1200

目录
Catalog

该文档是极速PDF编辑器生成，
如果想去掉该提示,请访问并下载：
http://www.jisupdfeditor.com/


	型号 Model	机器尺寸(米) Machine Sise(m) L长×W宽×H高 (M)	最小厂房尺寸（米） Minimum Factory Size L长×W宽×H高(M)	层数 Layer	日产量 Capacity/day	速度 Speed	热耗Heat Consumption	功率 Power	模具 Model	链条 Chain
	单位 m	米 m	米 m		个 pcs	米/分钟 m/min	大卡/小时 cal/hr	千瓦/小时 kw/hr	个 pcs	米 m
Dual Mode/双模	TR-SBE150x6	150x2.3x10	155x6.3x11	6	720000	25	3600000	160	18000	900
	TR-SBE180x6	180x2.3x10	185x6.3x11	6	864000	30	4300000	190	21600	1080
	TR-SBE200x6	200x2.3x10	205x6.3x11	6	950000	33	4800000	210	24000	1200
	TR-SBE80x8	80x2.3x10	85x6.3x11	8	518000	18	2600000	110	12800	640
	TR-SBE100x8	100x2.3x10	105x6.3x11	8	634000	22	3200000	140	16000	800
	TR-SBE110x8	110x2.3x10	115x6.3x11	8	706000	24.5	3500000	160	17600	880
	TR-SBE120x8	120x2.3x10	125x6.3x11	8	763000	26.5	3800000	170	19200	960
	TR-SBE140x8	140x2.3x10	145x6.3x11	8	893000	31	4500000	200	22400	1120
	TR-SBE150x8	150x2.3x10	155x6.3x11	8	950000	33	4800000	210	24000	1200
	TR-SBE160x8	160x2.3x10	165x6.3x11	8	1022000 ★3	35.5	5100000	220	25600	1280
	TR-SBE180x8	180x2.3x10	185x6.3x11	8	1152000 ★2	40	5800000	250	28800	1440
	TR-SBE200x8	200x2.3x10	205x6.3x11	8	1282000 ★1	44.5	6400000	255	32000	1600
	TR-SBE80x10	80x2.3x12	85x6.3x13	10	634000	22	3200000	140	16000	800
	TR-SBE100x10	100x2.3x12	105x6.3x13	10	806000	28	4000000	180	20000	1000
	TR-SBE110x10	110x2.3x12	115x6.3x13	10	878000	30.5	4400000	190	22000	1100
	TR-SBE120x10	120x2.3x12	125x6.3x13	10	950000	33	4800000	210	24000	1200

丁腈手套工艺图（参考）
Nitrile Gloves Craftworks(Reference)




注：本工艺流程随着生产线长短不同会有增减，具体以双方最终工艺确认为准
Note: This process will increase or decrease depending on the length of the production line. The specifics are subject to the final process confirmation by both parties

PVC手套工艺图（参考）
PVC Gloves Craftworks(Reference)




注：本工艺流程随着生产线长短不同会有增减，具体以双方最终工艺确认为准
Note: This process will increase or decrease depending on the length of the production line. The specifics are subject to the final process confirmation by both parties

乳胶手套工艺图（参考）
Latex Gloves Craftworks(Reference)



注：本工艺流程随着生产线长短不同会有增减，具体以双方最终工艺确认为准
Note: This process will increase or decrease depending on the length of the production line. The specifics are subject to the final process confirmation by both parties

3D示意图
3D Schematic



国外成功案例
Successful cases abroad

2007
越南 Vietnam



2008
乌克兰 Ukraine



2009
突尼斯 Tunisia



2010
肯尼亚 Kenya



2011
埃塞俄比亚
Ethiopia



2012
埃及 Egypt



2013
埃尔及利亚
Algeria



2014
刚果 Congo



2015
乌兹别克斯坦
Uzbekistan



2016
泰国 Thailand



2017
巴基斯坦 Pakistan



2018
安哥拉 Angola



2019
伊朗 Iran



辅助设备
Asisstant machines

冷水机
Chilling machine





纳米级研磨机
Nano grinding machine

锅炉
Boiler






空压机
Air compressor

辅助设备
Asisstant machines

冷水机Chilling machine

热水锅炉
Hot water boilerr



针孔检测线
Pinhole detection line

