目录 Catalogue

设备类 Equipment Category

1 Flat Face Mask Making Machine Series
平面口罩机系列 — — — — — — 14-22

2 Folding Mask Making Machine Series
折叠口罩机系列 — — — — — — 23-33

3 Cup Mask Making Machine Series
杯型口罩机系列 — — — — — — 34-39

4 Fish Type Mask Making Machine Series
鱼形口罩机系列 — — — — — — 40-50

5 Cosmetic&Life Products Making Machine Series
美容生活用品制造设备系列 — — — 51-53

6 Tourism Products Making Machine Series
旅游用品制造设备系列 — — — — 54-59

7 Medical Products Machine Series
医疗用品制造设备系列 — — — — 60-65

8 Packing Machine Series
包装机系列 — — — — — — — 66-69

9 Non-standard Machine Series
非标定制系列 — — — — — — 70-71

辅料类 Auxiliary Materials Category

1 Melt blown
熔喷布 — — — — 73

2 Non-woven fabric
无纺布 — — — — 74

3 Nose wire
鼻梁条 — — — — 75

4 Ear band
耳带绳 — — — — 76

5 Breathing valve
口罩呼吸阀 — — 77

6 Sponge strips
海绵条 — — — 78

7 Adjustable buckle
调节扣 — — — 78

模具类 Mold Category

1 Cutting wheel
切刀轮 — — 79

2 Welding wheel
熔接轮 — — 80

3 Welding plate
封边模具 — — 81

平面口罩机系列 Flat Face Mask Making Machine Series

15 Automatic Medical Ⅰ+Ⅰ Face Mask Machine (Outer)
MF007A:平面口罩一拖一生产线(外耳带)

16 Automatic Medical Ⅰ+Ⅰ Face Mask Machine (Inner)
MF007: 平面口罩一拖一生产线(内耳带)

17 Automatic Color Tracking Face Mask Machine
MF017: 追色定位平面一拖一口罩机

18 Automatic surgical mask machine with paper-plastic bag packing line
MF024: 平面一拖一检测给袋式纸塑包装生产线

19 Automatic CCD Inspection Medical Mask Producing with pillow type packing Box Packing Line
MF022: 平面口罩全自动检测入袋入盒生产线

20 Automatic CCD inspection Medical Mask Producing and pillow type Packing Line
MF021: 平面一拖一全自动检测枕式包装生产线

20 Face Mask Color tracking with Paper Plastic Packing Production Line
MFO23C:追色定位平面口罩机纸塑包装连线

21 Double Nose Wire Line Flat Mask Mchine
MFO07F:双鼻线平面口罩机

22 Head-strap Welding Machine
MF004: 头挂式耳带机

22 Fully Auto 1+1 Type Tie-on Mask Machine
MF005:平面一拖一绑带式口罩机



Automatic Medical 1+1 Face Mask Machine (Outer)
MF007A:平面口罩一拖一生产线(外耳带)





Description 简要说明:

本机台是一台全自动化生产平面口罩的机器，由1台本体加1台耳带机组成。 从口罩本体生产到耳带熔接，鼻线熔接直至出成品，完全自动化，不需任何人工操作。 适用于外耳带口罩生产。
This machine is fully automatic to produce the Outer earloop face mask, including 1 set of mask body machine and 1 set of earloop welding machine. The process is from raw material feeding,earloop welding&nose wire welding to finished product.

·MF007B:绑带式平面口罩机 35-40pcs/min
·MF007C:包边外耳带口罩机 120-150pcs/min

Technical parameter 技术参数:

机台尺寸 Machine size	5200*3930*2210mm	功率 Power	5KW
产量 Capacity	140-150pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1100KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Medical 1+1 Face Mask Machine (Inner)
MF007: 平面口罩一拖一生产线(内耳带)





Description 简要说明:


本机台是一台全自动化生产平面口罩的机器，由1台本体机加1台耳带机组成。 从口罩本体生产到耳带熔接，鼻线熔接直至出成品，完全自动化，不需任何人工操作。 适用于内耳带口罩生产。
This machine is fully automatic to produce the inner earloop face mask, including 1 set of mask body machine and 1 set of earloop welding machine. The process is from raw material feeding,earloop welding&nose wire welding to finished product.

Technical parameter 技术参数:

机台尺寸 Machine size	6000*3930*2210mm	功率 Power	5KW
产量 Capacity	140-150pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1200KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Color Tracking Face Mask Machine
MF017:追色定位平面一拖一口罩机





Description 简要说明:

本机台是一台全自动化生产平面口罩的机器,由1台本体加1台耳带机组成,本体带有色标感应装置,通过布料的色标定位来控制切刀,实现印刷布料的定位口罩生产。从口罩本体生产到耳带熔接,鼻线熔接直至出成品,都是自动化。适用于外耳带口罩生产。

This machine is a fully automated machine for the production of flat masks. It consists of a main body and an ear strap machine. The main body is equipped with a color code sensor. The cutting knife is controlled by the color code positioning of the fabric to realize the positioning of the printed fabric Production. From the production of the mask body to the welding of the ear straps, the welding of the nose line to the finished product, all are automated, . Suitable for the production of masks with outer ears.

Technical parameter 技术参数:

机台尺寸 Machine size	6000*3930*2210mm	功率 Power	5KW
产量 Capacity	140-150Pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1000KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic surgical mask machine with paper-plastic bag packing line
MF024: 平面一拖一检测给袋式纸塑包装生产线





Description 简要说明:

本机台是一台可自动检测剔除不良品并自动包装的平面口罩机器,从口罩本体生产到鼻线熔接,耳带熔接直至成品包装,都是自动化,适用于外耳带口罩生产。并且配置自动检测装置,保障成品合格率。包装方式是给袋式包装,包装过程中取料,开袋、装袋、封口全自动完成。

This machine is a flat mask machine that can automatically detect and reject defective products and automatically package. From the production of the mask body to the welding of the nose line, the welding of the ear bands to the packaging of the finished product, it is automatic, and it is suitable for the production of masks with outer ears. And it is equipped with automatic detection device to ensure the qualified rate of finished products. The packaging method is bag-type packaging. During the packaging process, the material is taken, the bag is opened, then filled, and the sealing is completed automatically.

Technical parameter 技术参数:

机台尺寸 Machine size	6000*5000*2210mm	功率 Power	15KW
产量 Capacity	90-100pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2800KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic CCD Inspection Medical Mask Machine with pillow type packing and Box Packing Line
MF022: 平面口罩全自动检测入袋后并入盒生产线





Description 简要说明:

本机台是一台可自动检测并剔除不良品并自动入盒包装的平面口罩机器，从口罩本体生产到鼻线熔接，耳带熔接直至成品入盒包装，可折纸入盒数量，并且配置自动检测装置，保障成品合格率。

This machine is and automatic production line to produce the face mask and pack into box ,with the function of visual inspection system and pick out defective products.The process is from mask body making,nose wire welding,ear-loop welding to finished mask packing. It can set the packing number per box and lonpied with the visual inspection system to guarantee the qualified rate of finishedproduct.

Technical parameter 技术参数:

机台尺寸 Machine size	9109*6643*2300mm	功率 Power	18KW
产量 Capacity	90-100pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	4500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic CCD inspection Medical Mask Producing and pillow type Packing Line
MF021: 平面一拖一全自动检测枕式包装生产线



Description 简要说明:

本机台是一台可自动检测并剔除不良品并自动包装的平面口罩机器，从口罩本体生产到鼻线熔接，耳带熔接直至成品包装，完全自动化，适用于内耳带口罩和外耳带口罩生产。并且配置自动检测装置，保障成品合格率。

This machine is an automatic mask production line to produce the face mask and pack them in bag , with the function of visual inspection system and pick out defecive products. The process is from making mask body, nosewire welding, ear-loop welding to finished mask packing.

机台尺寸 Machine size	6390 * 2930 * 2300 mm	功率 Power	16KW
产量 Capacity	100-120 pcs/min	气压 Pressure	-
机器重量 Machine weight	3500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Face Mask Color tracking with Paper Plastic Packing Production Line
MFO23C: 追色定位平面口罩机纸塑包装连线





Description 简要说明:

从口罩材料到成品生产自动化完成,并自动包装,采用四边封包装方式,可使用纸塑包装和四边封膜包装方式。

This machine completes the production automatically from the colorful mask material to the finished product,It adopts the four-side sealing packaging method, the material paper-plastic film.

机台尺寸 Machine size	6066*2600*1974mm	功率 Power	8KW
产量 Capacity	100-110pcs/min	气压 Pressure	6KG/cm2
机器重量 Machine weight	1800KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Double Nose Wire Line Flat Mask Mchine
MF007F:双鼻线口罩机





Description 简要说明:

本机台是一台全自动化生产平面口罩的机器,该机台双鼻线设计,由一台本体加一台耳带机组成,从口罩本体生产到耳带焊接,都是自动化完成。
This machine can produce 2 nose wires，then weding the side band automatically

Technical parameter 技术参数:

机台尺寸 Machine size	6370*1900*2000 mm	功率 Power	5KW
产量 Capacity	120-130pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1100KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Head-strap Welding Machine
MF004: 头挂式耳带机



Description 简要说明:

本机台是采用横拉耳带和熔接系统。将头挂耳带熔接于口罩片两侧，整机采用防锈铝合金机架，结构美观，PLC微电脑控制，产能更高，性能稳定。
This machine adopts a unique earloop and welding system. The head ear straps are welded on both sides of the mask . whole machine adopts an anti-rust aluminum alloy frame with beautiful structure, PLC control, higher production capacity and stable performance.

机台尺寸 Machine size	2310*1690*1350mm	功率 Power	2.6 KW
产量 Capacity	40-45pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	500 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Fully Auto 1+1 Type Tie-on Mask Machine
MF005: 平面一拖一绑带式口罩机



Description 简要说明:

从口罩材料到成品生产自动化完成,并自动包装,采用四边封包装方式,可使用纸塑包装和四边封膜包装方式。

This machine is a fully automatic machine to produce the tie on mask including 1 set mask body machine and 1 set earloop welding machine. The process is from raw material feeding,earloop welding&nose wire welding to finished product.

机台尺寸 Machine size	6000*3930*2210mm	功率 Power	6KW
产量 Capacity	35-40 pcs/min	气压 Pressure	6KG/cm2
机器重量 Machine weight	800 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

折叠口罩机系列 Folding Mask Making Machine Series

24 Automatic High Speed Folding Mask Machine with Sponge Attach&Valve welding Funttion
MD015: 高速全自动焊阀贴海绵条折叠口罩机

25 Super High Speed Folding Mask Machine
MD023: 超高速折叠口罩机

27 Automatic Headband Folding Mask Machine
MD022: 全自动折叠头挂口罩机

29 Duckbill Mask Making Machine
MD002: 鸭嘴型口罩机

30 Automatic Folding Stretch Fabric Mask Machine
MD0013: 弹力布折叠口罩机


31 Automatic Folding Mask Machine With Pillow Type Mask Packaging Line
MD029: 折叠口罩呼吸阀焊接

32 Automatic Folding Mask Machine With Pillow Type Packaging Line
MD040: 超高速折叠口罩机连线枕式包装机

32 Folding Mask Body Machine
MD009: 高速折叠本体机


33 Folding Head Strap Earloop Welding and Silicone Buckle Function
MD032K: 自动穿扣头挂式折叠口罩松紧带点焊机

33 Semi Auto Folding Mask Headband Welding Machine
MD032: 折叠口罩头挂耳带焊接机



Automatic High Speed Folding Mask Machine with Sponge Attaching & Valve welding Function
MD015: 高速全自动焊阀贴海绵条折叠口罩机





Description 简要说明:

高速折叠机器（含海绵垫，呼吸阀功能）：本机台从入料到成品输出实现折叠口罩全自动化生产整台机器只需一人操作。并可根据客户要求加选择自动贴海绵条，上呼吸阀及印刷等功能。上呼吸阀开启时：25-30pcs/min；上海绵条启用时：90-100pcs/min

High speed folding type mask making machine with sponge welding & valve welding function : The machine uses ultrasonic to produce folding mask from the raw material feeding to the finished product. Including optional functions controller (sponge welding, breather valve welding and pad printing).

sponge function on : 90-100pcs/min;

Technical parameter 技术参数:

机台尺寸 Machine size	8000*2200*1410mm	功率 Power	6KW
产量 Capacity	25-30pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2100KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Super High Speed Folding Mask Machine
MD023:超高速折叠口罩机





Description 简要说明:

本机台从入料到成品输出实现折叠口罩全自动高速生产，包括内置鼻线，耳带点焊，口罩成形可额外增加内置海绵条，和喷码功能仅需一人操作且省材料成本 产能：110-120pcs/min

This is an automatic super high speed folding type mask machine production line,including nose wire cutting and welding,ear-loop welding,mask shaping.At the same time,this machine can add extra inserting sponge and ink jet function. The automatic process is from nose wire welding,inside sponge welding,printing to finished mask.It only requires one worker to operate,and the machine's speed can reach 110-120pcs/min

Technical parameter 技术参数:

机台尺寸 Machine size	8285*1276*2047 mm	功率 Power	17KW
产量 Capacity	110-120pcs/min	气压 Pressure	6Pa
机器重量 Machine weight	2000 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

功能选配 Opptional function:



内置海绵条 Inside Sponge
Capacity 产量:80-100Pcs/min



外置海绵条 Outer Sponge
Capacity 产量:90-100Pcs/min



冲孔Punching Hole
Capacity 产量:90-100Pcs/min



呼吸阀焊接Valve Welding
Capacity 产量:25-30Pcs/min



追色定位Color Tracking
Capacity 产量:110-120Pcs/min



喷码Ink Jet Printing
Capacity 产量:110-120Pcs/min



枕式包装Pillow Type Packing
Capacity 产量:80-100Pcs/min

Automatic Headband Folding Mask Machine
MD022: 全自动折叠头挂口罩机





Description 简要说明:

本机台是一台全自动化折叠头挂式口罩生产设备，从口罩本体生产到头带熔接，鼻线熔接直至出成品，完全自动化，PLC微电脑控制稳定性高。

This machine is a fully automatic machine to produce head-strap folding type mask. The process is from raw material feeding, head band welding, nose wire welding to the finished product, PLC control and high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	9200*2200*1550 mm	功率 Power	10KW
产量 Capacity	40-45pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

功能选配 Opptional Function:



内置海绵条Inside Sponge
Capacity 产量:40-45Pcs/min



外置海绵条 Outer Sponge
Capacity 产量:40—45Pcs/min



移印 Pad Printing
Capacity 产量:40-45Pcs/min



喷码 Ink Jet Printing
Capacity 产量:40—45Pcs/min



冲孔Punching Hole
Capacity 产量:40-45Pcs/min

Duckbill Mask Making Machine
MD002: 鸭嘴型口罩机







Description 简要说明:

本机台是一台以超声波熔合方式全自动生产鸭嘴型口罩成品的机台。 从入料生产口罩本体到熔接耳带，一次完成，中间无需任何人工操作。

This machine applied ultrasound to manufacture duckbill masks with high efficiency automatically. Including mask body making, nose wire welding and elastic welding.

Technical parameter 技术参数:

机台尺寸 Machine size	9000*1300*2500mm	功率 Power	5KW
产量 Capacity	40-50pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Folding Stretch Fabric Mask Machine
MD0013: 弹力布折叠口罩机





Description 简要说明:

本机台是一台全自动化折叠弹力布口罩生产设备,从口罩本体生产到头带熔接,鼻线熔接直至出成品,都是自动化,PLC微电脑控制,稳定性高。

This machine is a fully automatic machine to produce elastic earband on folding mask. The process is from raw material feeding, elastic welding, nose wire welding to the finished product.PLC control and high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	6300 * 1290 * 2047 mm	功率 Power	9 KW
产量 Capacity	80 pcs/min	气压 Pressure	6kg/cm2.
机器重量 Machine weight	1560KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Folding Mask Machine With Pillow Type Packaging Line
MD040: 超高速折叠口罩机连线枕式包装机







Description 简要说明:

本机台从入料到成品输送直到产品包装实现折叠口罩全自动高速生产包括内置鼻线，耳带点焊，口罩成型可额外增加内置海绵条，和印刷功能只要一人操作且省材料成本，包装机是一台双变频控制，袋长即设即切，调节空走，省时省膜。人机界面，参数设定方便快捷。故障自诊功能，故障显示一目了然。高感度光电眼色标跟踪，数字化输入封切位置，使封切位置准确。温度PID控制，适合各种包装材质。定位停机功能，， 不浪费包膜。传统系统简洁，工作更加可靠，维修保养更加方便。控制由软件实现，方便功能调整和技术升级。

The machine can produce folding mask full-automatically from feeding to finished-product transportation with high-speed, included nose wire, earloop, mask forming. Mask can choose additional sponge strip, and printing function. The packaging machine is a double frequency conversion control, the bag length can cut immediately acording to setting, the empty bag also can be adjusted, which can save time and film. machine interface, convenient and fast parameter setting, Fault self diagnosis function, fault display at a glance. High sensitivity photoelectric eye color mark tracking and digital input of sealing and cutting position to make the sealing and cutting position accurate. Temperature PID control, suitable for all kinds of packaging materials. Positioning stop function, no waste of coating. The traditional system is simple, the work is more reliable and the maintenance is more convenient. The control is realized by software to facilitate function adjustment and technical upgrading.

Technical parameter 技术参数:

机台尺寸 Machine size	9200*2200*1550 mm	功率 Power	10KW
产量 Capacity	80-100pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2500 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Breather Valve Welding Machine
MD029:折叠口罩呼吸阀焊接机





Description 简要说明:


本机台是半自动焊接折叠口罩呼吸阀设备，整台机器只需要一人操作，自动振动盘入料，旋转盘工位设计，成品由机械手夹出，PLC 微电脑控制，稳定性高。

This machine is a semi auto machine to weld the breathing valve for the folding masks. It only requires one worker to operate. Automatically vibrator feeding,rotation type operating desk,using robot to grab the finished mask, PLC control, high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	2190*1381*1050 mm	功率 Power	3.5KW
产量 Capacity	15-20pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	800 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Folding Mask Body Machine
MD009: 高速折叠本体机





Description 简要说明:

高速折叠口罩本体机，是用于折叠口罩本体生产的全自动机器，使用超声波将3～5层PP无纺布、活性炭以及过滤材料粘合，并剪切出折叠口罩本体，本机台自动完成压边、切边和折叠焊接工艺，更换模具可加工不同形状的折叠口罩本体。

High-speed folding mask body machine, is a fully automatic machine for the production of folding mask body. It uses ultrasound to weld 3 to 5 layers of PP nonwoven fabric, activated carbon and filter materials, and cut out the folding mask body. This mask body machine includes pressing, trimming and folding welding process, changing the mold can produce different shapes of folding mask body.

Technical parameter 技术参数:

机台尺寸 Machine size	6340*1293*1900 mm	功率 Power	6KW
产量 Capacity	100-120pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2500 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Folding Head Strap Earloop Welding and Silicone Buckle Function
MD032K: 自动穿扣头挂式折叠口罩松紧带点焊机



Description 简要说明：

折叠口罩头挂式耳带上扣机是一台自动串扣并焊接头带折叠口罩自动化生产设备。机器只要一个人把折叠口罩本体放置在机器的夹具工位上,机器将实现自动串扣,自动焊接头带,自动取出成品。提高了生产效率,节约了人工成本,同时也提高了产品品质。

This machine can weld outer nose wire&earloop on the folding masks. By using ultrasonic welding technique,the machine only requires one person to place the folding mask body on a special fixture position, then the machine will automatically set nose wire feeding/cutting off/ welding fixed and earloop elastic feeding/ welding. It also has the automatic stacking function It improves the production efficiency, saves labor costs and also improves the product quality well.

Technical parameter 技术参数：

机台尺寸 Machine size	2155*1880*1990mm	功率 Power	6KW
产量 Capacity	10-15pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	500KG	控制方式 Control mode	电路控制/Circuit control
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Semi Auto Folding Mask Headband Welding Machine
MD032: 折叠口罩头挂耳带焊接机





Description 简要说明：

折叠口罩自动耳带点焊机是一台将外置鼻梁条和头挂式耳带以超声波熔接方式固定于折叠口罩上的自动化生产设备。机器只需一人把折叠口罩本体放置在机器特制的夹具工位上，机器将自动实现鼻梁条送料，鼻梁条切断，鼻梁条焊接固定，耳点自带焊接，成品自动拆取堆叠功能，大大提高了生产效率，节约了人工成本，同时也提高了产品品质。

The machine is automatic to fix the external nose bridge and head straps on the folding mask by ultrasonic welding. The machine only needs one person to place the folding mask body on the special fixture station of the machine. The machine will automatically realize the feeding of the nose bridge, cutting the nose bridge, welding and fixing the nose bridge, the ear points are welded, and the finished product is automatically removed and stacked, which greatly improves production efficiency, save labor costs, and improve product quality.

Technical parameter 技术参数：

机台尺寸 Machine size	1912*1363*2091mm	功率 Power	2KW
产量 Capacity	15-20pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	700KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

杯型口罩机系列 Cup Mask Making Machine Series

35 Cup Mask Forming Machine
MC001：N95罩杯口罩定型机

35 Cup Mask Cover Making Machine
MC002：N95罩杯口罩外罩机

35 Cup Mask Welding And Cutting Machine
MC003：罩杯口罩熔切机

36 Automatic Cup Mask After Process Making Machine (horizontal welding earloop)
MC007：罩杯口罩后工序生产线（耳带平点）


37 Automatic Cup Mask After Process Making Macine (oblique welding earloop)
MC008：罩杯口罩后工序生产线（耳带斜点）

38 Cup Mask Nose-Wire sealing and Pad Printing Machine
MC004A：罩杯口罩鼻线热合机（带印刷）

38 Cup Mask Earloop Welding Machine
MC005A：罩杯口罩松紧带点焊机

39 Cup Mask Breather Holes Punching Machine
MC006： N95罩杯口罩呼吸阀打孔机

39 Cup Mask Breather Welding Machine
U003： 呼吸阀焊接机



Cup Mask Forming Machine
MC001: N95罩杯口罩定型机





Description 简要说明:

本机台是全自动杯型口罩热压成型机。 可自动完成从送料、剪切、退料等多道工序，相比传统人工操作可以省去3-5人力。 采用PLC 控制系统，触摸屏设置，操作简单快捷，可单人单机使用，一次性成型4个口罩，仅需人工放料及取料。
This machine uses ultrasound to form cup shaped mask automatically . It can produce 6 masks each time. 3-5 workers can be saved with the machine doing all work like feeding, forming, cutting and discharging.

Technical parameter 技术参数:

机台尺寸Machine size	3130*1900*1900 mm	功率Power	8KW
产量Capacity	40-50pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	400KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Cup Mask Cover Making Machine
MC002: N95罩杯口罩外罩机



Description 简要说明:

本机台是罩杯口罩外罩机。通常是用于罩杯口罩第二道工序，操作简单，速度快。
This machine is the second process of cup mask , easy to operate,fast speed.

Technical parameter 技术参数:

机台尺寸Machine size	4400*1985*1980 mm	功率Power	2KW
产量Capacity	100-150pcs/min	气压Pressure	4-6kg/cm²
机器重量Machine weight	250KG	控制方式Control mode	变频控制/Frequency conversion control
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Cup Mask Welding And Cutting Machine
MC003: N95 罩杯口罩熔切机





Description 简要说明:

本机台是旋转盘式杯型口罩熔切机，改变传统的杯型口罩熔接和切边分开操作的工序，此机采用PLC控制系统，多工位转盘，附带切料装置，焊接与切料两机头同时工作。 可单人单机使用，操作方便快捷，产量高。
This machine uses ultrasound to seal and cut the edges of cup mask synchronously. It only requires one worker to operate the machine efficiently.

Technical parameter 技术参数:

机台尺寸Machine size	2115*1150*1200mm	功率Power	2.6KW
产量Capacity	8-10pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	200KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Automatic Cup Mask After Process Making Machine (horizontal welding earloop)
MC007:罩杯口罩后工序生产线(耳带平点)



功能选配
Opptional Function:



呼吸阀
Valve



海绵条
Sponge



自动上料
Automatic Body Loading



塑料鼻线
Plastic nosewire



铝条鼻线
Aluminum nosewire



移印
Pad Printing

Description 简要说明:

该机器是生产杯型口罩的后道工序自动化设备,只需人工将做好的杯体放置于料盘机器自动完成上鼻线印刷 上耳带、呼吸阀冲孔、呼吸阀焊接直至成品自动输出。整台设备只需一人操作相比传统生产工艺可节省8-11 个人工并且大大提高生产效率和口罩品质。
This is an automatic machine for cup mask after- process, it includes aluminium nose-wire heat sealing, pad printing, earloop elastic welding and valve welding functions.Just need one person to put mask body on the machine, then you can get finished Cup mask

Technical parameter 技术参数:

机台尺寸 Machine size	4400*1985*1980mm	功率 Power	6KW
产量 Capacity	20-25pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	3200KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Cup Mask After Process Making Machine(oblique welding earloop)
MC008:罩杯口罩后工序生产线(耳带斜点)



功能选配
Opptional Function:



呼吸阀
Valve



海绵条
Sponge



自动上料
Automatic Body Loading



塑料鼻线
Plastic nosewire



铝条鼻线
Aluminum nosewire



移印
Pad Printing

Description 简要说明:

本机器是生产杯型口罩的后道工序自动化设备，耳带为斜点焊方式。只需人工将做好的杯体放置于料盘，机器自动完成上鼻线、印刷、上耳带、呼吸阀冲孔、呼吸阀焊接直至成品自动输出。整台设备只需一人操作，相比传统生产工艺，可节省8-11个人工，并且大大提高生产效率和口罩品质。

This machine is automatic for cup mask after-process, the ear -loop adopts a obique welding method. It includes nose-wire heat sealing, pad printing, ear-loop elastic welding and valve welding functions. Just need one person to put the mask body on the conveyor, then you can get finished cup mask. Compared to the traditional process, it can save 8-11 workers and greatly improve the production efficiency and mask quality.

Technical parameter 技术参数:

机台尺寸 Machine size	5720*1850*2120mm	功率 Power	6KW
产量 Capacity	20-25pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	3200KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Cup Mask Nose-Wire sealing and Pad Printing Machine
MC004A:罩杯口罩鼻线热合机(带印刷)







Description 简要说明:

本机台主要适用于杯型口罩的鼻梁线铝条粘合，运用气动原理和辅助发热装置工作，取代传统的手工贴合，定位准确，粘合强度牢固，配合移印装置，为口罩添加印刷LOGO，提高口罩制作效率。

This machine applies pneumatic principle and auxiliary heating debice to fit nose aluminium wire onto cup masks efficiently.It is easy to operate and has strong adhesive in the exact position.With the printing device,the machine can add your logo to the mask.

Technical parameter 技术参数:

机台尺寸 Machine size	1625*1200*1300mm	功率 Power	1.7KW
产量 Capacity	15-20pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	300KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Cup Mask Earloop Welding Machine
MC005A:罩杯口罩松紧带点焊机





Description 简要说明:

本机台主要利用超声波的原理，用于杯型口罩的耳带焊接，输出稳定、性能可靠、操作方便、焊点美观、不损伤材料。

This machine mainly uses the principle of ultrasonic waves to weld the ear straps of cup-shaped masks, with stable output, reliable performance, and convenient operation. The solder joints are beautiful and do not damage the material.

Technical parameter 技术参数:

机台尺寸 Machine size	1100*650*1600mm	功率 Power	2KW
产量 Capacity	8-10pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	150KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Cup Mask Breather Holes Punching Machine
MC006:N95罩杯口罩呼吸阀打孔机





Description 简要说明:

本机台是用于杯型口罩会呼吸阀的打孔，采用脚踏式开关，操作简单。冲孔大小及口罩模具形状可按客户需求设计，一次可冲5-8个口罩。

This machine is for punching valves holes on cup masks. It’ s very easy to operate by using foot-switch. It can punch 5-8 masks at one time. Hole size can be customized.

Technical parameter 技术参数:

机台尺寸 Machine size	800*540*140mm	功率 Power	50W
产量 Capacity	50-60pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	40KG	控制方式 Control mode	-
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	-

Cup Mask Breather Welding Machine
U003呼吸阀焊接机





Description 简要说明:

本机使用超声波系统达到呼吸阀焊接，采用水平调节刻度控制；精确度可达千分之一秒；底座水平调节从而有效的保证了焊接出高品质口罩；N95口罩呼吸阀焊接机是生产带阀折叠口罩及杯型口罩替代传统人工、提升口罩品质的超声波焊接机。

This machine uses an ultrasonic system to weld the breathing valve, and is controlled by a horizontal adjustment scale; the accuracy can reach one thousandth of a second;The level of the base is adjusted to effectively ensure that high-quality masks are welded; the N95 mask breathing valve welding machine is produced with valves Folding masks and cup-shaped masks replace traditional labor and ultrasonic welding machines that improve the quality of masks.

Technical parameter 技术参数:

机台尺寸 Machine size	800*1000*1850mm	功率 Power	2KW
产量 Capacity	10-20pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	180KG	控制方式 Control mode	-
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	-

鱼形口罩机系列 Fish Type Mask Machine Series

41 **Automatic Ⅰ+Ⅰ Fish Mask Machine**
FH004: 全自动鱼形口罩一拖一生产线

42 **Automatic Headband Fish Type Mask Machine**
FH003: :头戴式鱼形口罩机

43 **Automatic Nailing Fish Mask Making Machine**
FH016: 打钉鱼型口罩机

44 **Automatic CDD inspection Fish Mask Producing and Box Packing Line**
FH012A: 全自动鱼型口罩视觉检测包装入盒生产线

45 **Fully Automatic Fish-Shaped 1+1 Mask Machine With High Speed**
FH004A: 高速全自动鱼形口罩一拖一生产线

46 **Fully Automatic Ear Strap Adjustable Fish Shape 1 +2 Mask Machine**
FH008: 全自动耳带可调节鱼形一拖二口罩机

47 **Automatic Fish Mask Head Strap Machine With CCD and Pillow Type Packing Line (1+2)**
FH018C: 全自动头挂式鱼形一拖二检测包装生产线

48 **Color Tracking Fish Mask Machine**
FH004C:追色定位KF94鱼形口罩机

49 **Fish Mask Body Making Machine**
FH001: 鱼型口罩本体机

49 **Fish Mask Ear-loop Welding Machine**
FH002: 鱼型口罩耳带点焊机

50 **Four Folding Fish Mask Earloop Welding Machine**
FH006: 四折鱼形口罩耳带点焊机

50 **Four Folding Fish Mask Body Making Machine**
FH005: 四折鱼型口罩本体机



Automatic 1+1 Fish Mask Machine
FH004: 全自动鱼型口罩一拖一生产线





Description 简要说明:

本机台是一台全自动化生产三折鱼形口罩的机器，从口罩本体生产到鼻线熔接，耳带熔接知道直到成品，完全自动化，PLC 微电脑控制，稳定性高。

The machine can produce fish type mask automatically. The process is from mask body making, nose wire welding, ear-loop welding to finished mask. PLC control , high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	7140*2050*1594 mm	功率 Power	6KW
产量 Capacity	90-100pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2200KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Headband Fish Type Mask Machine
FH003:头戴式鱼形口罩机





Description 简要说明:

头戴式鱼形一拖一机器：本机台是一台全自动化生产三折鱼形口罩的机器。从口罩本体生产到松紧带熔接，鼻线熔接直至出成品，完全自动化，不需要人工操作。整机采用铝合金结构，美观不生锈，PLC微电脑控制，稳定性高。

Automatic headband fish mask production line: This machine is a fully automatical machine to produce three pleats, fish mask. The process is from raw material feeding, nose-wire welding, headband welding to finished product. It only requires one operator. The whole machine is made of antirust aluminum alloy, PLC control , high stability

Technical parameter 技术参数:

机台尺寸 Machine size	7140*2200*2300mm	功率 Power	6KW
产量 Capacity	45-55pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1600KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Nailing Fish Mask Making Machine
FH016: 打钉鱼型口罩机





Description 简要说明:

自动打钉鱼形机器：本机台是一台全自动化生产三折鱼形口罩的机器。从口罩本体生产到耳带打钉，鼻线熔接直至出成品，都是自动化，不需要人工操作。整机采用铝合金结构美观不生锈，PLC微电脑控制，稳定性高。

Automatic nailing fish-shaped machine: This machine is a fully automatic machine for producing fish-shaped masks.From the production of the mask body to the nailing of the earbands,The nose wire welding is automated until the finished product is .The whole machine adopts aluminum alloy structure, beautiful and no rust, PLC Microcomputer control, high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	6881*1315*2090mm	功率 Power	5KW
产量 Capacity	50-60 Pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1390 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic CDD inspection Fish Mask Producing and Box Packing Line
FH012A:全自动鱼型口罩视觉检测包装入盒生产线

Description 简要说明:

全自动鱼型口罩视觉检测包装入盒生产线本机台从材料到成品到包装入袋再入盒,全自动化完成,采用自动接料机构,当无纺布及熔喷布使用完后,实现自动接料功能,换料不停机,采用CCD检测系统,自动剔除不良品,提升包装后的良品率。可选功能:自动贴海棉条, 自动纠偏。

Automatic CDD inspection Fish Mask Producing and Box Packing Line: This machine is fully automated from material to finished product to packaging into the bag and then into the box. It adopts an automatic material splicing mechanism. When the non-woven fabric and meltblown fabric are used up, the material can be automatically , non-stop for material change, adopts CCD detection system, automatically rejects defective products, and improves the good product rate after packaging. Optional function: sponge welding , automatic correction （EPC）.





Technical parameter 技术参数:

机台尺寸 Machine size	13382*6944mm	功率 Power	17KW
产量 Capacity	60-80pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	8000 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Fully Automatic Fish-Shaped 1+1 Mask Machine With High Speed
FH004A : 高速鱼形KF94口罩机





Description 简要说明:

全自动鱼形一拖一口罩机：本机台是一台全自动化生产鱼形口罩的机器。从口罩本体生产到耳带熔接，鼻线熔接直至出成品，都是自动化，不需要人工操作。整机采用铝合金结构美观不生锈，PLC微电脑控制，稳定性高。

Fully automatic fish-shaped one-to-one mask machine: This machine is a fully automated machine for producing fish-shaped masks. From the production of the mask body to the welding of the ear straps, the welding of the nose line to the finished product, it is automated and does not require manual operation. The whole machine adopts aluminum alloy structure which is beautiful and does not rust, PLC microcomputer control, high stability.

Technical parameter 技术参数:


机台尺寸 Machine size	6800 * 2050 * 1094 mm	功率 Power	6KW
产量 Capacity	140-150Pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1000 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Fish Mask Machie With Adjustable Earloop(1+2)
FH008:全自动耳带可调节鱼形一拖二口罩机

Description 简要说明:

本机台是一台全自动化生产耳带可调节式鱼形口罩的机器，成品口罩耳带可以调节长度，从口罩本体生产到鼻线熔接，自动化生产。

This machine is a fully automatic line to produce fish-shaped masks with adjustable ear straps. The ear straps length of the mask can be adjusted.





Technical parameter 技术参数:

机台尺寸 Machine size	10610*3000*2000mm	功率 Power	7KW
产量 Capacity	50-60pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Fish Mask Head Strap Machine With CCD and Pillow Type Packing Line (1+2)
FH018C: 全自动头挂式鱼形一拖二检测包装生产线





Description 简要说明:

鱼形一拖二机器：本机台是一台全自动化生产三折鱼形口罩的机器。从口罩本体生产到耳带熔接，鼻线熔接直至出成品，都是自动化，不需要人工操作。整机采用铝合金结构美观不生锈，PLC微电脑控制，稳定性高。

It’s automatic from mask body making，head welding to finished products,no need labor operation.The whole machine used by steel wheel material with nice and non rusty appearance, controlled by PLC system, with high stability.



Technical parameter 技术参数:

机台尺寸 Machine size	15177*3093*2047mm	功率 Power	26KW
产量 Capacity	60-80pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	5400 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Color Tracking Fish Mask Machine
FH004C:追色定位KF94鱼形口罩机





Description 简要说明:

本机台是一台自动识别布料印刷图案定位裁切的全自动化生产鱼形口罩的机器。从口罩本体生产,到耳带熔接,鼻线熔接直至出成品,都是自动化,不需要人工操作。整机采用铝合金结构美观不生锈,PLC微电脑控制,稳定性高。

This machine is a fully automatic line to produce the fish masks which can recognize the printing pattern of fabrics , position, then cut. The whole machine adopts aluminum alloy structure, which is beautiful and does not rust. It is controlled by PLC microcomputer and has high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	6800 * 2050 * 1594 mm	功率 Power	6KW
产量 Capacity	100-120pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1000 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Fish Mask Body Making Machine
FH001:鱼型口罩本体机



Description 简要说明:

本机台是一台自动化生产鱼形口罩本体片的设备。从布料的入料到口罩本体成品自动一次完成，包括上鼻梁条，超声波压纹LOGO，冲呼吸阀孔，三折，超声波焊接成型，成品切断，计数收集等全制程自动化完成，产量高。

The machine produces fish shaped mask body automatically. From the material feeding to the finished mask body automatically, includng the nose wire welding, ultrasonic embossing LOGO, punching the breathing valve hole, three folding pleat, ultrasonic welding molding, finished cutting, counting collection of full process automation, high output.

Technical parameter 技术参数:

机台尺寸 Machine size	5830*2710*1200mm	功率 Power	5.5KW
产量 Capacity	130-150pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	800KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Fish Mask Ear-loop Welding Machine
FH002:鱼型口罩耳带点焊机





Description 简要说明:

本机台是采用独特的夹具结构和超声波熔接系统，将耳带熔接于鱼形口罩片两端的自动化设备。整机采用铝合金结构美观不生锈，PLC 微电脑控制，稳定性高。
The machine adopts the special fixture clip structure and the ultrasonic welding system to weld the ear-loop elastic automatically on the two ends of the fish shaped mask. The whole machine is antirust made of aluminium alloy structure, PLC microcomputer control, high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	2100 * 1500 * 1050 mm	功率 Power	2.3KW
产量 Capacity	100-120pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	550KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Four Folding Fish Mask Body Making Machine
FH005:四折鱼型口罩本体机



Description 简要说明:

本机台是一台自动化生产鱼形口罩本体片的设备。从布料的入料到口罩本体成品自动一次完成，包括上鼻梁条，超声波压纹LOGO，冲呼吸阀孔，四折，超声波焊接成型，成品切断，计数收集等全制程自动化完成，产量高。
The machine produces fish shaped mask body automatically. From the material feeding to the finished mask body automatically, including the nose wire welding, ultrasonic embossing LOGO, puching the breathing valve hole, four folding pleat, ultrasonic welding molding, finished cutting, counting collection of full process automation, high capacity.

Technical parameter 技术参数:

机台尺寸 Machine size	5200*1200*1400mm	功率 Power	5.5KW
产量 Capacity	45-50pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	500KG	控制方式 Control mode	电路控制/Circuit control
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Four Folding Fish Mask Earloop Welding Machine
FH006:四折鱼型口罩耳带点焊机





Description 简要说明:

本机台是自动点焊四折鱼形耳带焊接设备，行业内突破实现机器代替人工点带方式，采用铝合金结构美观不生锈，PLC微电脑控制，稳定性高。
This machine adopts ultrasonic welding system to weld the ear-loop automatically on mask body. The whole machine is made of aluminium alloy structure with no rust, PLC microcomput-er control, high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	1650*1050*1550mm	功率 Power	2.3KW
产量 Capacity	35pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	800KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

美容生活用品制造设备系列 Cosmetics Daily &Life Products Machine Series


51 Finger Plug-in Cotton Pad Making Machine
N001: 手插式卸妆棉制造机

51 Round Cotton Pad Making Machine
N002: 圆片卸妆棉制造机

53 Square Cotton Pad Makin Machine
N003: 方片卸妆棉

53 Half Round Cotton Pad Making Machine
MF004: 半圆卸妆棉制造机

53 Hand/Foot Mask Making Machine
N005: 手膜脚膜制造机



Finger Plug-in Cotton Pad Making Machine
N001:手插式卸妆棉制造机



专利产品 仿冒必究
Patented products
Counterfeiting is not allowed



Description 简要说明:

本机台是一台专业生产纯棉水刺布手插式化(卸)妆棉的全自动机器，设备从原料、输送、裁切、废料收卷到排列成品出料全自动完成。可根据客户要求订做各种不同花纹。设备采用技术成熟的超声波焊接和最稳定的机械式冷切方式，并以合理的自动排列方式定位，排出成品，使原料的损耗降至最低，产品成本低，效率高。
This machine adopts ultrasound to produce plug-in cotton spunlace nonwoven facial pads automatically. We can make different patterns according to customer’s requirements.

Technical parameter 技术参数:

机台尺寸 Machine size	5000*1100*1550mm	功率 Power	3.6KW
产量 Capacity	360-400pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	400KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Round Cotton Pad Making Machine
N002:圆片式卸妆棉制造机





Description 简要说明:

本机台是一台专业生产纯棉水刺布手插式化(卸)妆棉的全自动机器，设备从原料、输送、裁切、废料收卷到排列成品出料全自动完成。可根据客户要求订做各种不同花纹。设备采用技术成熟的超声波焊接和最稳定的机械式冷切方式，并以合理的自动排列方式定位，排出成品，使原料的损耗降至最低，产品成本低，效率高。
This machine can produce round cotton spunlace nonwoven facial pads automatically. We can make different pad layers and patterns according to customer’s requirements.

Technical parameter 技术参数:

机台尺寸 Machine size	3100*1150*1400mm	功率 Power	5KW
产量 Capacity	360-500pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	300KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Square Cotton Pad Making Machine
·N003:方片式卸妆棉制造机





Description 简要说明:

本台机是一体产业生产纯棉水刺布(卸)妆棉的全自动机器。备从原料,运输,裁切,废料收卷到排列成品出料全自动完成。可根据客户要求订做不同花纹。设备采用恒定的油温加热和稳定的机械式冷切方式,并以合理的自动排列式定位排出成品,是原料的损耗降至最低,产品成本低,效率高。

This machine can produce square cotton spunlace nonwoven facial pads automatically. It can make different patterns according to customer's requirements.

Technical parameter 技术参数:

机台尺寸Machine size	6000*950*1400mm	功率Power	5KW
产量Capacity	350-450pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	280KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Half Round Cotton Pad Making Machine
N004:半圆式卸妆棉制造机





Description 简要说明:

本机台是一台专业生产纯棉水刺布半圆化（卸）妆棉的全自动机器，设备从原料，输送，剪裁，废料，收卷到排列成品出料全自动生产完成。可根据客户要求订做各种不同花纹。设备采用最恒定的油温加热和最稳定的机器冷却方式，并以合理的自动排列式定位排除成品，使原料的耗损降至最低，产品成本低，效率高

This machine can produce half round cotton spunlace nonwoven facial pads automatically. It can make different patterns according to customer's requirements.

Technical parameter 技术参数:

机台尺寸Machine size	3100*1150*1400mm	功率Power	5KW
产量Capacity	360-500pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	280KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Hand/Foot Mask Making Machine
·N005:手膜脚膜制造机







Description 简要说明:

本机台是手膜脚膜制造机，从原料到成品一次性完成。面板采用硬化处理，PLC 微电脑控制，自动张力控制系统运行更加稳定。
This machine is a hand mask and foot mask manufacturing machine, from raw materials to finished products at one time. The panel adopts hardening treatment, PLC microcomputer control, and the automatic tension control system runs more stable.

Technical parameter 技术参数:

机台尺寸Machine size	4500*1350*1800mm	功率Power	6KW
产量Capacity	70-80pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	800KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

旅游用品制造设备系列 Tourism Products Making Machine Series

55 Disposable Toilet Seat Cover Making Machine
N025: 全自动马桶套机

56 Disposable Bouffant Cap Making Machine
N006: 无纺布（PE）浴帽制造机

56 Waterproof Shoe Cober Making Machine
N007: 鞋套制造机

57 Non Woven Insole Making Machine
N008: 无纺布鞋垫制造机

57 Square Spunlance Making Machine
N010: 水刺方巾制造机


57 Disposable Shoe Polisher Making Machine
N011: 擦鞋套制造机

58 Non Woven Headrest Cover Making Machine
N012: 航空靠垫制造机

58 Non Woven Pillowcase Making Machine
N013: 航空枕头套制造机

58 Non Woven Sleeping Eyeshade Body Making Machine
N014: 全自动航空眼罩本体机

59 Disposable Men's Under Briefs Making Machine
N020: 无纺布一次性男士三角裤制造机



Disposable Toilet Seat Cover Making Machine
N025:全自动马桶套机





Description 简要说明:

本机台是一台自动化生产一次性马桶套的设备，从原材料到成品全自动完成，自动松紧带，自动张力控制系统，运行更加稳定。
This machine is an automatic disposable toilet seat cover making machine. The process is from raw material to finished product. Automatically elastic feeding, tension control, high stability.

Technical parameter 技术参数:

机台尺寸 Machine size	3000*700*1900mm	功率 Power	3.5KW
产量 Capacity	40-50pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	900KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Disposable Bouffant Cap Making Machine
N006:无纺布(PE)浴帽制造机



Description 简要说明:

本机台是一台全自动生产无纺布及PE浴帽的生产设备。产品主要应用于旅游，医院，酒店及家庭。从进料到成品收集只需要一个人操作，操作简单，性能稳定。
This machine produces bouffant caps which are widely used in hospital, travelling, and hotel. Fully auto from material feeding to finished products. One operator can run the whole line withhigh stability.

Technical parameter 技术参数:

机台尺寸 Machine size	3200*960*1630mm	功率 Power	3.3KW
产量 Capacity	80-90pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	550KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Shoe Cover Making Machine
N007:鞋套制造机





Description 简要说明:

本机台是一台自动化生产松紧式不织布或塑料鞋套的专用机械，产品适用于医院或无尘工业。全机由自动送料至成品完全自动化无需任何人工操作。
This machine can produce shoe cover, which is used in hospital and dust-free working environment . It's fully-auto from material feeding to finished products.

Technical parameter 技术参数:

机台尺寸 Machine size	2000*2300*1600mm	功率 Power	3.6KW
产量 Capacity	60-70pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	600KG	控制方式 Control mode	变频控制Frequency conversion control
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Non Woven Insole Making Machine
N008:无纺布鞋垫制造机



Description 简要说明:

本机台是无纺布鞋垫的专用机械，从原材料到成品一次性完，自动张力控制系统运行更加稳定。
This machine is a special machine for non-woven insoles. From raw materials to finished products, the automatic tension control system runs more stably.

Technical parameter 技术参数:

机台尺寸Machine size	2500*680*1800mm	功率Power	2.7KW
产量Capacity	25-30pcs/min	气压Pressure	7kg/cm²
机器重量Machine weight	500KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Square Spunlance Making Machine
N010:水刺方巾制造机



Description 简要说明:

本机台是专门制造生产水刺擦拭布和毛巾，此擦拭毛巾制造从原材料到成品一次性完成。广泛应用于高档酒店和宾馆。
This machine manufactures square spunlace fully automated from material feeding to finished product which is widely used in luxury hotel.

Technical parameter 技术参数:

机台尺寸Machine size	4500*1350*1800mm	功率Power	5.8KW
产量Capacity	60-120pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	1800KG	控制方式Control mode	变频控制/Frequency conversion control
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Disposable Shoe Polisher Making Machine
N011:擦鞋套制造机



Description 简要说明:

擦鞋套机是一台全自动生产无纺布擦鞋套的自动化机器。从原材料入料、印刷、熔接、成型切断、成品收集全部由机器自动化完成。
This machine produces non woven shoe polisher. Fully automated from raw material feeding,printing logo,welding,cutting to finished product collecting.

Technical parameter 技术参数:

机台尺寸Machine size	3550*950*1850mm	功率Power	3KW
产量Capacity	50-60pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	450KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Non Woven Headrest Cover Making Machine
·N012:航空靠垫制造机



Description 简要说明:

本机台是自动化生产一次性无纺布头靠垫的专用机台。产品适用于客机、火车、巴士、全机自送料至成品完成全自动化，仅需一人操作。
This machine is specialized in producing non woven headrest cover,which is widely used in airline, train and bus.The process of machine is fully automated;one operator can run the line easily.

Technical parameter 技术参数:

机台尺寸Machine size	4500*1070*2050mm	功率Power	2.7KW
产量Capacity	80-100pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	600KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Non Woven Pillowcase Making Machine
·N013:航空枕头套制造机

专利产品 仿冒必究
Patented products
Counterfeiting is not allowed



Description 简要说明:

本机是一台自动化生产一次性无纺布枕头套的专用机台，产品适用于客机、医院、酒店。全机由送料至成品完全自动化。
This machine is specialized in producing non woven disposable pillowcase .which is widely used in airline,hospital and hotel.The process of machine is fully automated from material feeding to finished products.

Technical parameter 技术参数:

机台尺寸Machine size	6265*2510*2980mm	功率Power	4.6KW
产量Capacity	20-30pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	2000KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Non Woven Sleeping Eyeshade Body Making Machine
N014:全自动航空眼罩本体机

专利产品 仿冒必究
Patented products
Counterfeiting is not allowed



Description 简要说明:

本机台是一台专业生产遮光（航空）眼罩本体的机台，此机器从布料进入到外形成型焊接至最后成品切断排除废料全部机器自动化完成，只需要一个操作工人就能完成所有的工作。
This is a special design for producing eyeshade mask body machine, fully automated from raw material feeding to final products. Only need one operator.

Technical parameter 技术参数:

机台尺寸Machine size	2100*900*1750mm	功率Power	3KW
产量Capacity	180-200pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	450KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Disposable Under Briefs Making Machine
N020:无纺布一次性三角裤制造机



专利产品 仿冒必究
Patented products
Counterfeiting is not allowed

Description 简要说明:

本机采用先进超声波焊接方式将无纺布一次熔接成型为三角裤，可分为单片型及加贴型两种机型。人机界面操作仅需以人，内置PLC程序控制，故障率低。进口减速刹车马达，有效的减少了产品的不良率。美观坚固的铝合金机架，永不生锈，在更换模具的情况下可生产部同规格的三角裤。

This machine is a fully automatic machine to produce disposable under briefs, The process is from raw material feeding,collar welding,pocket welding to waist welding and cutting.And one worker is required.



Technical parameter 技术参数:

机台尺寸 Machine size	4400*1000*1770mm	功率 Power	3.2KW
产量 Capacity	30-40pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1200KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

医疗用品制造设备系列 Medical Products Machine Series

61 Automatic Disposable Protective Gowns Body Making Machine
MS006: 全自动防护服衣身制造机

62 Fully Automatic Protective Gowns Sleeves Making Machine
MS007: 全自动防护服衣袖制造机

63 Automatic Nonwoven Scrub Gowns Making Machine
MS005: 全自动医用洗手服制造机

64 Disposable Surgical Cap Making Machine
MS001: 医生帽制造机


64 Disposable Medical Gowns Making Machine
MS003: 无纺布一次性医疗服制造机

64 Disposable Examination Pants Making Machine
MS002: 无纺布一次性医疗裤制造机

65 Non-Woven Shoe Sleeve Machine
N022: 无纺布靴套机

65 Medical Slip Pad Making Machine
MS004: 医用滑移垫机

65 Automatic PE Apron Making Machine
MS024: 全自动围兜机



Automatic Disposable Protective Gowns Body Making Machine
MS006:全自动防护服衣身制造机



Description 简要说明:

全自动防护服衣身制造机，是一台全自动生产无纺布一次性医疗防护服衣身制造设备，从布料入料到腰带自动点焊、自动切领口、自动对折、自动切袖口、自动肩部熔接、自动成型切断等全自动化一体完成。中间不需要任何手工操作，一台机器只需要一个人工操作，同时自动钉扣功能可选择性开启，实现一机两用，两款产品，行业内首创，实现了机器代替大部分人工传统工序。
Fully automatic protective clothing body making machine is a fully automatic production equipment for non-woven disposable medical protective clothing body manufacturing equipment, from fabric feeding to automatic spot welding of belts, automatic neckline cutting, automatic half-folding, automatic cuff cutting, automatic Shoulder welding, automatic forming and cutting, etc. are fully automated and integrated. There is no need for any manual operation in the middle, one machine only needs one manual operation, and the automatic buttoning function can be selectively turned on, realizing one machine for dual use, two products, the first in the industry, and realizing the machine to replace most of the manual traditional processes.



Technical parameter 技术参数:

机台尺寸 Machine size	7750*2800*2300mm	功率 Power	7KW
产量 Capacity	10-15pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2750KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Fully Automatic Protective Gowns Sleeves Making Machine
MS007:全自动防护服衣袖制造机





Description 简要说明:

全自动防护服衣袖制造机，是一台自动化生产无纺布一次，一次性医疗用防护服衣袖的制造设备：从布料入料到袖口自动上松紧带，到成品熔接，成品切断一体化自动完成。并根据实际情况进行合理的排版设计，最大程度的节省了布料。
Fully automatic protective clothing sleeve making machine, it is a machine which can produce the disposable medical protective gown sleeves automatically, the process is from raw material feeding, add the elastic band& welding to final products welding and cutting . It only requires one worker to operate. Base on the actual reasonable layout design, saving the fabrics at the maximum.

Technical parameter 技术参数:

机台尺寸 Machine size	3700*1600*1800mm	功率 Power	4KW
产量 Capacity	120-130pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1650KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Automatic Nonwoven Scrub Gowns Making Machine
MS005:全自动医用洗手服制造机



Description 简要说明:

本机台是一台全自动生产无纺布一次性医疗洗手设备，从布料入料，到领口边熔接，口袋熔接，腰部熔接，成形切断等全自动化一体完成，中间不需要任何手工操作，一台机器只需要一个人工操作，行业内首创，突破实现机器代替人工。

This is a fully automatic machine to produce the disposable non woven scrub gown. The process is from raw material feeding,collar welding, pocket welding to waist welding and cutting. The scrub gown can byfully produced in one machine, and it only requires one worker to operate.



Technical parameter 技术参数:

机台尺寸 Machine size	6800*2200*2300mm	功率 Power	5KW
产量 Capacity	10-15pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Disposable Surgical Cap Making Machine
MS001:医生帽制造机



Description 简要说明:

本机采用超声波焊接方式将无纺布一次折童成型的医生帽，人机界面操作仅需一人。内置PLC程序控制，稳定性高，故障率低，进口减速刹车马达，有效的减少了产品的不良率。美观坚固的铝合机架，不易生锈。在更换模具的情况下可生产不同规格的医生帽。该成品可适用于电子制造业，无尘车间，餐饮服务业，食品加工，学校，喷涂加工，冲压五金，卫生院，手工工业，医院，美容，制药，工厂，环境清洁，公共场合等多种用途。

The machine adops advanced ultrasonic welding to produce doctor cap. It is a fully automatic production machine from raw to finished products. With PLC control, high stability and low failure.

Technical parameter 技术参数:

机台尺寸Machine size	6800*1160*1470mm	功率Power	5.7KW
产量Capacity	80-90pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	2600KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Disposable Medical Gowns Making Machine
MS003:无纺布一次性医疗服制造机

专利产品 仿冒必究
Patented products
Counterfeiting is not allowed



Description 简要说明:

医疗服制造机是一台全自动化生产无纺布一次性医疗服的生产设备，从布料入料、胸前领边熔接、裁切束腰带、成型切断等全自动化一体机完成，中间不需要任何手工操作，一台机器只需一个人工操作即可；产品主要适用于桑拿浴场及医疗检查。


This machine is a fully automatical machine from fabric feeding, pocket welding to forming & cutting.
It is operated by one person. This machine is mainly used for sauna bathing and hospital examination.

Technical parameter 技术参数:

机台尺寸Machine size	7200*2500*1950mm	功率Power	8.9KW
产量Capacity	10-12pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	2300KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Disposable Examination Pants Making Machine
MS002:无纺布一次性医疗裤制造机

专利产品 仿冒必究
Patented products
Counterfeiting is not allowed



Description 简要说明:

本机采用超声波焊接方式将一次性成型的无纺布一次性医疗服，人机界面操作仅需一人，内置PLC程序控制，稳定性高，故障率低，进口减速刹车马达，有效地减少了产品的不良率。美观坚固的铝合机架，不易生锈。在更换模具的情况下可生产不同规格的无纺布一次性医疗裤。

This machine adopts advanced ultrasonic welding to produce non-woven beach pants. It is fully automatic from raw material feeding to finished products. With PLC control, high stability and low failure.

Technical parameter 技术参数:

机台尺寸Machine size	6300*1350*1800mm	功率Power	6KW
产量Capacity	30-35pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	1800KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Non-Woven Shoe Sleeve Machine
N022:无纺布靴套机





Description 简要说明:

本机台是通过超声波与热熔相结合的方式生产无纺布靴套的机器，从布料入料，自动包边上松紧带，熔接成形，成品自动输出，整个生产过程机器全自动化完成，只需一人操作设备即可。设备内置PLC程序控制，运行精准稳定；更换模具可生产不同规格的无纺布靴套。

This machine is a machine which can produce non-woven shoe sleeve by the combination of ultrasonic wave and hot melt. It can feed the cloth, wrap the elastic band on the edge automatically, weld the shape,

Technical parameter 技术参数:

机台尺寸Machine size	4000*3500*1800mm	功率Power	5KW
产量Capacity	10-15pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	2000KG	控制方式Control mode	PLC
电压Voltage	220V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Medical Slip Pad Making Machine
·MS004:医用滑移垫机





Description 简要说明:

医用滑移垫机器：本机台是全自动生产医用滑移垫的设备，从布料入料，包边熔接，打孔，成品切断并自动输出；整个生产过程全自动化完成。整台设备只需一人操作，内置PLC程序控制运行，控制精准稳定且可通过调整参数生产不同规格的医用滑移垫。

Medical sliding pad machine: This machine is an equipment for fully automatic production of medical sliding pads, from fabric feeding, edge welding, perforation, finished product cutting and automatic output; the entire production process is fully automated. The whole device only needs one person to operate, the built-in PLC program controls the operation, the control is accurate and stable, and the medical sliding pad of different specifications

Technical parameter 技术参数:

机台尺寸Machine size	5500*1500*1700mm	功率Power	5KW
产量Capacity	5-7 pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	1050KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection

Automatic PE Apron Making Machine
N024:全自动围兜机



Description 简要说明:

本机台是一台自动化生产一次性围兜的设备，由卷膜到成品，完全自动化，可生产PE塑料膜及无纺布类的一次性围兜，采用PLC控制，稳定性高.

This machine can produce disposable PE apron. The process is from film material to finished produuct. PLC control, high stability

Technical parameter 技术参数:

机台尺寸Machine size	3680*1450*1330mm	功率Power	2.2KW
产量Capacity	30-40pcs/min	气压Pressure	6kg/cm²
机器重量Machine weight	500KG	控制方式Control mode	PLC
电压Voltage	220V/380V-50/60Hz	检测方式Detection mode	光电检测/Photoelectric detection


包装机系列 Packing Machine Series

67 **Four-side Sealing Packing Machine**
N019A: 四边封制袋式包装机

68 **Four side sealing packing machine**
N018: 四边封一出三包装机

69 **Pillow Type Packing Machine**
N019: 枕式包装机

69 **Bag type packaging machine**
N019C: 给袋式包装机



Four-side Sealing Packing Machine
N019A:四边封制袋式包装机

Description 简要说明:

本机台是由卷膜实现自动制袋式的四边封包装机，采用PLC 控制，人机界面，参数设定方便快捷，独立温控系统，有同步、定长、定位及速度，自动诊断故障功能，设计包装开口及飞机孔，包装尺寸可根据客户要求定制。
PLC control, touch interface, parameter setting conveinent and fast, independent temperature control system. It has synchronization, fixed length, positioning speed, automatic fault diagnosis function.This machine" s raw material is film, the function includes making the plastic bag and packing masks into the bags, opening and hanging holes. Packaging size can be customized according to customer" s requirements.






Technical parameter 技术参数:

机台尺寸 Machine size	6150*1850*1660mm	功率 Power	7KW
产量 Capacity	50-60pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1800KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Four side sealing packing machine
N018:四边封一出三包装机







Description 简要说明:

本机台是由卷膜实（可使用纸塑）现自动制袋式的四边封包装机，采用PLC控制，人机界面，参数设定方便快捷，温控系统，有同步、定长、定位及速度，自动诊断故障功能，设计包装开口及飞机孔，设计三工位出料，一三出方式，包装尺寸可根据客户要求定制。
This is an auto 4 sides sealing and packing machine from material,controlled by PLC. It has a convenient and quick parameter setting, independent temperature control system, auto fault diagnosis function with synchronous, fixed length, positioning and speed, packaging opening and aircraft hole, three positiondischarging design with higher efficiency. And the packing size can be customized.

Technical parameter 技术参数:

机台尺寸 Machine size	6150*1850*1660 mm	功率 Power	7KW
产量 Capacity	80-90pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	1800KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Pillow Type Packaging Machine
N019:枕式包装机

内设：排气装置（排出袋子多余的空气，接近真空）
Exhaust device (exhaust excess air from bag, close to vacuum)



Description 简要说明：

包装机是一台双变频控制，袋长即设计切，无需调书空走，一步到位，省时省膜。人机界面，参数设定，方便快捷。故障自诊功能，故障显示一目了然。高感度光电眼色标跟踪，数字化输入封切位置。便封切位置更加准确。温度独立PID控制，更好适合各种包装材质。定位停机功能，神刀，不浪费包膜。传统系统简洁，工作更加可靠，维修保养更加方便。所有控制由软件实现，方便功能调整和技术升级，永不落后。
Dual frequency conversation control, bag length can be set and cut in one step, saving time and film. Iterface features easy and quick setting and operation. Self failure diagnosis, clear faliure display. High sensitivity pho to electric eye color tracing, numerical input of cutting sealing position for extra accuracy. Temperature indepen-dent PID control, more suitable foer packing different materials. Positioned stop function, without sticking knife or wasting film. Simple driving system, reliable working, convenient mataintance. All control is realized through software, easy for function adjusting and technical upgrade.

Technical parameter 技术参数：

机台尺寸 Machine size	3700*720 *1450 mm	功率 Power	2.6KW
产量 Capacity	80-120pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	900 KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Bag Type Packaging Machine
N019C:给袋式包装机





Description 简要说明：

本机台是自动抓取半成品包装袋，自动放入包装物的单排给袋式包装机，人工入料，采用PLC控制，参数设定方便快捷，人性化设计，自动化程度高，故障自报警、自停机、自诊断、使用安全简单，维护快速。
This machine is a single-row bag-feeding machine that automatically grabs finished mask and puts it into pakaging. It is controlled by PLC. The parameters setting is convenient and quick. It has the advantages of self-alarm, self-stop, self-diagonosis,safe and simple operation, fast maintenance.

Technical parameter 技术参数：

机台尺寸 Machine size	2500*1800*1800 mm	功率 Power	4KW
产量 Capacity	100pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

非标定制系列 Non-standard Machine Series

70 PE Anti - Dust Bag Cover Machine
N006D：大尺寸PE防尘套制造机

71 Pocket Air Filter Making Machine
N015: 空气过滤袋制造机

PE Anti - Dust Bag Cover Machine
N006D：大尺寸PE防尘套制造机





Description 简要说明：

本机台是一台全自动生产PE防尘套的设备。产品主要应用于大家电防尘,摩托车或电动车座垫,方向盘防尘等。从进料到成品收集只需要一个人操作,操作简单,性能稳定。
This machine is a fully automatic production equipment for PE dust jackets. The products are mainly used in dust-proofing of major appliances, seat cushions of motorcycles or electric vehicl.

Technical parameter 技术参数：

机台尺寸 Machine size	3200*960*1630mm	功率 Power	3.3KW
产量 Capacity	30-35pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	550KG	控制方式 Control mode	变频控制/Frequency conversion control
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

Pocket Air Filter Making Machine
N015:空气过滤袋制造机

Description 简要说明:

本机台是以超声波熔合方式生产空气过滤袋产品的全自动化机台。
包括自动送料，超音波熔接，切片，成品收集等全制程自动化。
产品大多用于中效过滤器，适用于大量的空调业者。
This machine is skilled in producing pocket air filt or industrial and car air conditioner , fully-auto from material feeding to finished products.







Technical parameter 技术参数:

机台尺寸 Machine size	12000*5300*1800mm	功率 Power	8.8KW
产量 Capacity	10-12pcs/min	气压 Pressure	6kg/cm²
机器重量 Machine weight	2500KG	控制方式 Control mode	PLC
电压 Voltage	220V/380V-50/60Hz	检测方式 Detection mode	光电检测 Photoelectric detection

口罩辅料系列 Mask Material

73 Melt blown Fabric
熔喷无纺布

74 Spunbond fabric
纺粘无纺布

75 Mask ear strap rope
口罩耳带绳

76 Nose wire
口罩鼻梁条

77 Mask breathing valve
口罩呼吸阀

78 Sponge strips
海绵条

78 Adjustment buckle
调节扣



Melt Blown Fabric
熔喷布







Description 简要说明：

熔喷布过滤材料是由聚丙烯超细纤维随机分布沾结在一起，外观洁白、平整、柔软，材料纤细度是为0.5-1.0um，纤维的随机分布提供了纤维间更多的热粘和机会，因而使熔喷气体过滤材料具有更大的比表面积，更高的孔隙率（≥%675）。经过高压驻极过滤效率，使产品具有低阻、高效、高容尘等特点。
Melt-blown Fabric filter material is made of polypropylene superfine fiber together with random distribution, the appearance of white, smooth, soft, materials and fine degree is 0.5 1.0 um, the random distribution of fiber provides more hot glue between fiber and opportunities, thus make melt-blown gas filtration material has larger specific surface area, higher porosity (75 or higher). After high pressure in a filtering efficiency, make the product has a low resistance, high efficiency, high capacity of dust, etc.

Technical parameter 产品参数：


序号 No.	系列 Serise	标准全标号 Standard No	克重 Weight(g)	检测流量 Test Flow	BFE（细菌）滤效 BFE(bacteria)Filter Effect	颗粒物 Particulates	加载滤效 Loading Filter	阻力（水驻极） Resistance(Water	检测介质 Test Media
1	BFE99	KYD-MB-B25-P25	20-25	32L/min	> 99%	> 99%		≤25pa	氯化钠Nacal
2	BFE99	KYD-MB-B25-P25	20-25	32L/min	> 99%	> 99%		≤20Pa	
2	N90	KYD-MB-N25-FE90	25	85L/min	> 99%	> 95%		≤60pa	氯化钠Nacal
3	N95	KYD-MB-N40-FE95	25		> 99%	> 98%		≤80pa	
4	N99	KYD-MB-N50-FE99	30-50		> 99%	> 99%		≤110pa	
5	N100	KYD-MB-N50-FE100	40-50		100%	> 99.8%		≤130pa	
6	FFP1	KYD-MB-p40-FE80	25-40	95L/min	> 99%	> 85%	> 80%	≤90pa	DOP石蜡油抗老化加载
7	FFP2	KYD-MB-p50-FE94	40-50		> 99%	> 96%	> 94%	≤120pa	
8	FFP3	KYD-MB-p80-FE99	60-80		> 99%	> 99.8%	> 99%	≤230pa	
9	KF80	KYD-MB-K40-FE80	25-40	95L/min	> 99%	> 85%	> 80%	≤90pa	DOP石蜡油
10	KF94	KYD-MB-K40-FE94	30-50		> 99%	> 96%	> 94%	≤120pa	
11	KF99	KYD-MB-K40-FE99	50-80		> 99%	> 99.8%	> 97%	≤230pa	

注：以上熔喷布所有的规格均可按照客户的要求生产，有特殊型号的，我司也可以按要求研发和生产。
Note: All of the above non-woven fabric specifications can be produced according to the customer's requirements, with special models, we can also follow the requirements to research, develop and produce.

Spunbond Fabric
纺粘无纺布









Description 简要说明：

全新PP料制作，无任何添加，厚度均匀，质感细腻，可根据客户要求定制幅宽、克重、颜色。
It is made of new PP material without any addition, uniform thickness and fine texture. The width, gsm and color can be customized according to customer requirements.


Technical parameter 产品参数：

	产品名称：纺粘无纺布 product name: Spunbond Fabrc		
成网方式：Networking method	纺粘	颜色：Color:	74种
宽度：width	10-320(mm) （可定制）	克重：Weight	30-80g/㎡
长度：length	500-1300(mm) （可定制）	重量：weight	5-6kg/卷
成分：ingredient	聚丙烯 PP		
包装：package	围膜 纸板 纸箱 桶膜 Circumference film, cardboard, carton, barrel film		
用途：Purpose	医疗口罩 家庭装饰 服装 工业 农业 Medical masks, home decoration, clothing, industry, agriculture		

注：以上无纺布所有的规格均可按照客户的要求生产，有特殊型号的，我司也可以按要求研发和生产。
Note: All of the above Spunbond Fabric fabric specifications can be produced according to the customer's requirements, with special models, we can also follow the requirements to research, develop and produce.

Nose wire
口罩鼻梁条





Description 简要说明：

口罩鼻梁条全部由聚烯烃树脂制成，它像金属丝一样具有随外力作用而弯曲变形，失去外力作用不回弹，保持已有形状不变的优异性能，能与无纺布材料相似相熔，起着口罩固定在鼻梁上的作用。

The nose bridge of the mask is all made of polyolefin resin. Like a metal wire, it has the ability to bend and deform with external force. It does not rebound without external force. It maintains the excellent performance of the existing shape. It can be similar to non-woven materials. , Plays the role of mask fixed on the bridge of the nose.

Technical parameter 产品参数：

产品名称：鼻梁条 Product name: Nose Wire			
产品型号： Product number	BLT-5-0.4 / BLT-5-0.555 BLT-4-0.5 / BLT-3-0.5 / BLT-5-0.5	颜色：白色 Color: White	
PP双芯双面 PP double core nosewire：5*0.45/5*0.55/4*0.5/5*0.5(mm) PP单芯单面 PP single core nosewire：3*0.5(mm)			
宽度： width	3-8mm	厚度： thickness	1-1.5mm
卷径： roll diameter	400-500mm	重量： weight	5-6KG/卷
成分： ingredient	PP料丶镀锌铁丝 PP material, galvanized iron wire		
包装： package	内包装采用塑料膜，外包装纸箱（38*38*37.5CM） The inner packaging is made of plastic film, and the outer packaging is a carton (38*38*37.5CM)		
用途： Purpose	折叠口罩/平面口罩 Folding mask/face mask		

注：以上所有规格的耳带、鼻梁条的规格颜色均可按照客户的要求生产，有特殊型号的，我司也可以按要求研发和生产。

Note: the specifications and colors of all the above specifications of ear loops and nose bridge strips can be produced according to the requirements of customers. If there are special models, our company can also develop and produce according to the requirements.

Ear band
口罩耳带松紧绳





扁绳
Lat rope



圆绳
Round rope

Description 简要说明：

耳带绳是由涤纶纱，尼龙纱，等材料制作加工而成，而良好的耳带绳需要具备柔软良好的伸缩性能，弹力好，不勒耳，易焊接，品质美观，成品整齐平顺，符合国际标准。

The earband rope is made of polyester yarn, nylon yarn, and other materials. A good earband rope needs to have soft, good elasticity, good elasticity, no ears, easy welding, beautiful quality, and the finished product is neat and smooth. International standards.

Technical parameter 产品参数：

产品名称：耳带绳 product name: Ear Band			
产品型号： Product number	ED-18-4W / ED-18-6W ED-15-5W / ED-18-3W / YED-18-3W	颜色：定制 Color:customized	
规格：圆绳/扁绳 Specification: Round rope / Flat rope			
宽度： width	2.5-8mm	厚度： thickness	0.8-1.5mm
装箱规格: Packing Spec	54*39*28.5mm	重量： weight	8-11Kg/箱
成分： ingredient	涤纶，氨纶 Polyester Spandex		
包装： package	内部装采用环保防水抗氧化PE袋， 外部采用一对一单独包箱（38*38*37.5CM） The interior is equipped with environmentally friendly waterproof and anti-oxidant PE bags, One-to-one separate package box (38*38*37.5CM)		
用途： Purpose	折叠口罩/平面口罩/杯型口罩 Folding mask/face mask/cup mask		

注：以上所有规格的耳带、鼻梁条的规格颜色均可按照客户的要求生产，有特殊型号的，我司也可以按要求研发和生产。


Note: the specifications and colors of all the above specifications of ear loops and nose bridge strips can be produced according to the requirements of customers. If there are special models, our company can also develop and produce according to the requirements

Breathing Valve
口罩呼吸阀



Description 简要说明：

本呼吸阀使用PP材质+硅胶，采用环保工艺，产品边缘光洁圆滑。能有效过滤PM2.5微粒，减少粉尘的吸入。
This breathing valve uses PP material + silica gel, adopts environmentally friendly technology, and the product has a smooth and smooth edge. It can effectively filter PM2.5 particles and reduce dust inhalation.



Technical parameter 产品参数：

主要成分： Main ingredients	PP聚丙烯+硅胶	Polypropylene +silica gel	应用范围： Structure type	N95、N100、R95、P95、9000、FFP2、FFP3等型 等型号口罩（mask type）
尺寸： Size	10-40mm		防护级别： Protection level	FFP2/FFP3/KN95标准（Standard）
连接形式: Connection Type	扣压	Burke	加工： Processing:	可按需求定制 Can be customized

Sponge strips
海绵条



Description 简要说明：

口罩专用海绵条，采用各种环保类、聚氨脂、EVA、乳胶等材质，根据客户的要求定制不同形体海绵条、高密度海绵条、全闭孔海绵条、乳胶海绵条等，使用安全舒适。
Special sponges for masks, using a variety of environmental protection polyurethane, EVA, latex and other materials. And it has customized size series, high-density sponge series, fully closed-cell series, latex series etc. to reach customer's requirement, easy and comfortable to use.

Technical parameter 技术参数：

主要成分： Main ingredients	聚氨酯/高密度/乳胶/全闭孔 Polyurethane /high density/ Latex/ closed cell	颜色： color	白色、灰色、灰色 White，Black，Gray
形状： Diameter	方型/圆型/M型/大山型/定制 Square / round / M / Dashan / customized	厚度： Thickness	3-10mm

Adjustable buckle
调节扣



Description 简要说明：

硅胶塞或胶塞堵头产品通过高温硫化，经精密模具硫化模压而成。主要用于口罩耳带固定、调节等作用。
Silicone plugs or rubber plugs are vulcanized at high temperature and molded by precision molds. Mainly used for anti-vibration, anti-collision, fixing, moisture-proof, anti-friction and other functions.

Technical parameter 技术参数：

主要成分： Main ingredients	PVC软胶 PVC soft plastic	颜色： color	白色、蓝色 White,Blue
形状： Shape	螺纹、圆扁、心形等各种形状 Thread ,Round and flat,Heart shape different kinds of shapes.	加工： Processing	可按需求定制 Can be customized

模具系列 Mold Series

79 Cutting wheel 切刀轮


80 Welding wheel 熔接轮:

81 Welding plate 封边模具

82 other 其它

快裕达精锐模具是采用CNC，磨床，车床，放电，热处理等工艺加工而成，材料采用CRV12 DC53，韧性好，硬度高且耐用，使用寿命长，每个花轮一般可生产250万-300万片左右。

Processed By CNC, Grinder, Lathe, Electric Discharge, Heat Treatment and Other Processes. The Material is CRV12 DC53, Which Has Good Toughness, High Hardness and Durability, and Long Service Life. Each Wheel Can Generally Produce 2.5-3 Million Mask Pieces



Cutting wheel
切刀轮



鱼形二道外形切刀轮
Fish shaped second shape cutter wheel



鱼形四道整体切刀轮
Fish shaped fourth integral cutter wheel



折叠成品切刀轮
Fold the finished cutter wheel



折叠切刀轮
Folding cutter wheel



折叠切刀轮
Folding cutter wheel



折叠切刀轮
Folding cutter wheel



鱼形切刀轮
Fish cutter wheel



鱼形切刀轮
Fish cutter wheel



平面切刀轮
Flat cutter wheel

所有规格均可按照客户要求订制

All the mold specifications can be customized according to customer’ s requirements

Welding wheel
其它




平面包边熔接轮
Welding Wheel



平面熔接轮
Welding Wheel



打片机熔接轮
Folding forming welding wheel




打片机熔接轮
Folding forming welding wheel



折叠外形熔接轮
Welding Wheel



鱼形外形熔接轮
Fish type integral welding wheel



鱼形成型熔接轮
Welding Wheel



折叠熔接轮
Folding welding wheel



折叠封边熔接轮
Folding edge sealing welding wheel


所有花轮规格均可按照客户要求定制

All the mold specifications can be customized according to customer’s requirements

Welding plate
封边模具



平面熔接齿块
Flat welding block



折叠熔接齿块
Folding welding block



折叠焊阀熔接齿块
Folding welding valve welding block




折叠头挂熔接齿块
Flat welding block



折叠熔接齿块
Folding welding block




折叠熔接齿块
Folding welding block



点焊头
Spot welding head



浴帽机封边模具
Edge sealing mold for cap machine



封边花轮
Edge sealing wheel

所有齿块规格均可按照客户要求定制

All the mold specifications can be customized according to customer’s requirements

other
其它



U005:超声波袖口缝合机
Ultrasonic cuff sewing machine



U003:焊接机
Ultrasonic WELDING Machine



U003:手提式便携焊接机
Hand Gun Portable Spot Welding Machine



U004:超声波花边机
Ultrasonic Lace Making Machine



超声波电子箱配套
Ultrasonic Control Box



换能器
Ultrasonic Transducer



气缸
Air Cylinder



超声波模具
Ultrasonic Welding Mould



电机
Motor



自动追频器
Auto tuning ultrasonic

Memo
备忘录